### **De Dietrich**

#### **Induction hob** Ref.: DPI4932BP


**Product highlights** 

possible result.

GENERAL









**CULINARY GUIDE AI** The hob automatically programs the power and cooking time according to the food selected (among 74 options). It recommends the most suitable cooking zone and utensil to obtain the best

**LCD SCREEN** Discover a new ergonomic and intuitive screen for perfect readability. The text display allows you to navigate and access more features (including the Culinary Guide, Boil and Blanch functions).

**BACKLIGHT** Sleek design when the hob is off. The touchsensitive controls light up when the hob is switched on.









## **De Dietrich**

#### Induction hob Ref.: DPI4932BP

|   | Cooking zone A                    | Cooking zone B                    | Cooking zone C                    | Cooking zone D                    | Cooking zone<br>E | Cooking zone<br>F |
|---|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-------------------|-------------------|
| Number of cooking<br>zone                               | 2                                 | 1                                 | 1                                 | 1                                 |                   |                   |
| Type of heating<br>element                              | Induction (Demi-horizone)         | Induction (Circular)              | Induction (Circular)              | Induction (Circular)              |                   |                   |
| Position of heating element                             | Front left;Rear left              | Centre                            | Rear right                        | Front right                       |                   |                   |
| Dimensions of the<br>heating element (mm                | 230X200                           | 300                               | 230                               | 160                               |                   |                   |
| Max. power of the heating element in W                  | 2800                              | 5500                              | 3700                              | 2400                              |                   |                   |
| Number of position(s)<br>/ cooking zone                 | 20                                | 20                                | 20                                | 20                                |                   |                   |
| Timer   | Yes                               | Yes                               | Yes                               | Yes                               |                   |                   |
| Direct access   | Warm<br>keeping;Simmer;Sear;Boost | Warm<br>keeping;Simmer;Sear;Boost | Warm<br>keeping;Simmer;Sear;Boost | Warm<br>keeping;Simmer;Sear;Boost |                   |                   |
| Electrical energy<br>consumption per<br>zone (EC) Wh/kg |                                   | 168,9                             | 170,2                             | 175,1                             |                   |                   |

| FLEXIBLES ZONES |  |
|-----------------|--|
| Flexible zone   | 1  |
| Flexible zone 1 | 1 HoriZoneTech - 3700 W - Left<br>- 230X400 mm |
| Flexible zone 2 |  |
| Flexible zone 3 |  |
| Flexible zone 4 |  |

| FUNCTIONS AND ACCESSORIES |  |  |
|---------------------------|--|--|
| Functions                 | AutoLink;Boil;Boost;Clean<br>lock;Recall;Power<br>management;Grill/Plancha;Elapsed<br>time |  |
| Automatic recipes         |  |  |
| Step-by-step recipes      |  |  |
| Probe (with holder)       | No   |  |
| Probe functions           |  |  |
| Accessories supplied      | Seal   |  |
| Optional accessories      | Grill  |  |

| SAFETY          |                       |  |
|-----------------|-----------------------|--|
| Safety devices  | Pack 10 securities    |  |
| Power indicator | Flashing 0 in display |  |

| INSTALLATION                                 |              |
|--|--------------|
| Hob maximum electric power input (kW)        | 11.1         |
| Fuse (A)                                     | 0            |
| Voltage (V)                                  | 220-240      |
| Frequency (Hz)                               | 50/60        |
| Three-phase connection                       | No           |
| Total electrical energy consumption (EC)     | 173,6        |
| Standby consumption (W)                      | < 0.5        |
| Dimensions of the unboxed product HxWxD (mm) | 60X930X515   |
| Dimensions of the packed product HxWxD (mm)  | 140X1150X610 |
| Worktop cut-out dimensions WxD (mm)          | 900X490      |
| Length of power supply cord (cm)             | 120          |
| Plug type                                    | Without      |
| Net weight (kg)                              | 18           |
| Gross weight (kg)                            | 20.0         |

| MANUFACTURING                       |        |
|-------------------------------------|--------|
| Country of origin                   | France |
| Availability of spare parts (years) | 20     |
| Repair Index                        |        |

# De Dietrich

Induction hob Ref.: DPI4932BP